

KLEMMVERBINDER FÜR PE ROHRE

Kupplungen



dimension (mm)	box (pcs)
20x20	60
25x25	45
32x32	25
40x40	72
50x50	44
63x63	30
75x75	16
90x90	12
110x110	8

Winkel 90°



dimension (mm)	box (pcs)
20x20	50
25x25	40
32x32	35
40x40	60
50x50	36
63x63	24
75x75	12
90x90	8
110x110	6

Kupplungen, reduziert



dimension (mm)	box (pcs)
25x16	50
25x20	45
32x20	40
32x25	35
40x25	100
40x32	85
50x25	5
50x32	5
50x40	60
63x32	5
63x40	5
63x50	30
75x50	1
75x63	20
90x63	1
90x75	12
110x90	1

Anschlussverschraubung mit Aussengewinde



dimension (mm)	box (pcs)
20x1/2"	90
20x3/4"	90
20x1"	80
25x1/2"	70
25x3/4"	70
25x1"	70
32x3/4"	40
32x1"	40
32x1 1/4"	40
40x1"	100
40x1 1/4"	100
40x1 1/2"	100
40x2"	100
50x1"	80
50x1 1/4"	80
50x1 1/2"	80
50x2"	80
63x1 1/2"	45
63x2"	45
63x2 1/2"	40
75x2"	26
75x2 1/2"	26
75x3"	26
90x2 1/2"	22
90x2"	22
90x3"	22
90x4"	22
110x2"	16
110x3"	16
110x4"	16

Endstopfen



dimension (mm)	box (pcs)
20	100
25	75
32	45
40	125
50	80
63	45
75	32
90	24
110	18

Anschlussverschraubung mit Innengewinde



dimension (mm)	box (pcs)
20x3/8"	100
20x1/2"	100
20x3/4"	100
25x1/2"	80
25x3/4"	80
25x1"	80
32x1/2"	45
32x3/4"	45
32x1"	45
32x1 1/4"	40
32x1 1/2"	45
40x1"	100
40x1 1/4"	100
40x1 1/2"	100
50x1 1/4"	5
50x1 1/2"	65
50x2"	65
63x1 1/2"	45
63x2"	45
63x2 1/2"	40
75x2"	26
75x2 1/2"	26
75x3"	26
90x2 1/2"	1
90x2"	1
90x3"	22
110x2"	12
110x3"	16
110x4"	16

T-Stück



dimension (mm)	box (pcs)
20	25
25	25
32	15
40	40
50	25
63	16
75	8
90	6
110	4

T-Stück 90° mit Aussengewinde am Mittelstutzen



dimension (mm)	box (pcs)
20x1/2"x20	45
20x3/4"x20	45
20x1"x20	48
25x1/2"x25	35
25x3/4"x25	35
25x1"x25	35
32x1/2"x32	20
32x3/4"x32	20
32x1"x32	20
32x11/4"x32	10
40x1"x40	50
40x11/4"x40	50
40x11/2"x40	50
50x11/2"x50	35
50x2"x50	35
63x2"x63	20
63x21/2"x63	20
75x21/2"x75	10
75x3"x75	10
90x3"x90	1
90x4"x90	1
110x4"x110	6

T-Stück 90°, reduziert



dimension (mm)	box (pcs)
20x16x20	25
25x20x25	25
32x25x32	15
40x32x40	40
50x40x50	25
63x50x63	16
75x63x75	8
90x75x90	1
110x90x110	4

**Winkel 90° mit
Innengewinde**


dimension (mm)	box (pcs)
20x1/2"	60
20x3/4"	60
25x1/2"	60
25x3/4"	60
25x1"	60
32x1/2"	10
32x3/4"	35
32x1"	35
32x1 1/4"	10
40x1 1/4"	75
40x1 1/2"	75
50x1 1/2"	55
50x2"	55
63x1 1/2"	30
63x2"	30
63x2 1/2"	30
75x2"	1
75x2 1/2"	1
75x3"	15
90x3"	1
110x4"	1
110x4"	10

**Ellbogen 90° mit
Innengewinde**


dimension (mm)	box (pcs)
20x1/2"	75
20x3/4"	75
25x1/2"	60
25x3/4"	60
25x1"	60
32x1/2"	90
32x3/4"	35
32x1"	35
32x1 1/4"	110
40x1"	45
40x1 1/4"	90
40x1 1/2"	90
40x2"	90
50x1 1/2"	60
50x2"	60
63x2"	30
63x2 1/2"	5
75x2 1/2"	1
75x3"	1
90x3"	10
90x4"	1
110x4"	10

Kupplung mit Flansch



dimension (mm)	box (pcs)
75x3"	1
90x3"	1
90x4"	1
110x4"	1

T-Stück 90° mit Innengewinde am Mittelstutzen



dimension (mm)	box (pcs)
20x1/2"x20	45
20x3/4"x20	45
25x1/2"x25	35
25x3/4"x25	35
25x1"x25	35
32x1/2"x32	10
32x3/4"x32	20
32x1"x32	20
32x1 1/4"x32	10
40x3/4"x40	5
40x1"x40	5
40x1 1/4"x40	45
40x1 1/2"x40	45
50x1 1/2"x50	30
50x2"x50	30
63x2"x63	20
63x2 1/2"x63	20
75x2"x75	10
75x2 1/2"x75	10
75x3"x75	10
90x3"x90	8
110x4"x110	6

DN 20 bis DN 63 beim 20°C max PN 16 bar
 DN 75 bis DN 100 beim 20°C max PN 10 bar
 DVGW zertifiziert DN 20 bis DN 63